

Central Board of Secondary Education

Shiksha Kendra, 2, Community Centre, Preet Vihar, Delhi-110092

CBSE/Compactor/2016/	23.03.2016	
·		

Subject: <u>Limited tender for installing Compactor in CBSE</u>, H.Q, Building, at 8th floor, AIPMT unit.

Sirs,

The Board intends to procure Compactor on priority basis. The specifications of the items are enclosed vide *Annexure -1*.

The delivery is required to be made within 20 days from the date of supply order. The rates may be quoted after visiting the site of this office and should be inclusive of its installation, all the taxes, delivery F.O.R. at Delhi/New Delhi. Warranty period may also be mentioned. An earnest money of Rs. 20,000/- (Rs. Twenty Thousand only) in the shape of Bank Draft in favour of Secretary, CBSE, payable at Delhi may also be enclosed with the tender. Tender without earnest money shall be summarily rejected. Payment shall be made after installation of compactor and submission of bill.

Interested agencies who are authorized manufacturer may quote their workable rates in the prescribed Performa vide Annexure-2 & send in a sealed envelope. The envelope superscribed as "LIMITED TENDER FOR INSTALLING COMPACTOR" may be put in the Tender Box kept near the Security Guard counter at ground floor or may be sent by Speed Post/Registered Post to the undersigned on or before 5th April, 2016 upto 2.30 PM positively. Tenders shall be opened on the same day at 3.00 P.M. in the presence of the tenderers who may like to be present. Secretary CBSE reserves the right to accept or reject any or all the quotations without assigning any reason. Conditional or incomplete tender or those after deadline shall not be accepted. The EMD of unsuccessful tenderers shall be returned without interest.

Yours faithfully,

(Rahul Tyagi)
Assistant Engineer (Civil)

Encl;- Annexure-1
Annexure-2

Technical Specification

Terms & Conditions

Central Board of Secondary Education 2, Community Centre, Preet Vihar Delhi – 110092

SPECIFICATIONS FOR INSTALLING COMPACTOR

Description	Quantity
Installing Compactor according to the description	
given below including rails:-	
Single faced fixed 915 x 400 x 2080 mm (W X D X H)	2
Single faced Mobile 915 x 400 x 2080 mm (W X D X H)	2
Single faced Mobile 915 x 400 x 2080 mm (W X D X H)	10

Technical Specifications for Enhanced Optimizer Storage System

General Description:

Optimizer Storage System is an efficient space saving storage arrangement catering to a variety of office requirements.

- 1. Single Static (SS)
- 2. Single Last (SL)
- 3.Twin Mobile(TM) 2 body back to back.

*Construction:

Rigid Knock Down construction made out of 0.8 thk. CRCA Steel conforming to IS: 513 Gr.D.Each body block (SS/SL/TM) building consists of 1 Main unit & then Add-on units (0, 1,2,3,4 -depending on no. of bays 1, 2, 3, 4 & 5). Each unit has 6loading levels formed by 5 nos.adjustable shelves.Body units are bolted to undercarriage.Optimizer Height from ground is 2080 mm (1980 body + 65 undercarriage + 35 channel system).

Finish:

The bodies including shelves are given antirust surface treatment & are powder coated with epoxy polyester powder. It involves an 8 step treatment consisting of Hot water rinse, Knock of degreasing, degreasing, cold water rins phosphating, cold water rinse, and passivation & dry off oven treatment. Final finish consists of epoxy polyester powder coating of approved color & shade with a Dry Film Thickness of minimum 40 microns. The testing of paint is done for various physical & chemical properties as per IS: 101. The material is then oven baked with a controlled temperature of 180 deg.C to 200 deg.C.

Shelf Construction:

It is made of 0.8 thk CRCA steel conforming to IS: 513 Gr.D or DD. It's max load bearing capacity is 80 Kg uniformly distributed per shelf.

*Undercarriage Construction:

The Undercarriage is a welded frame made of HR sheet 3.15 mm thk conforming to IS:10748 suitably fabricated to take the loads based on configuration.

*Finish:

The undercarriage, after pre-treatment, is coated with final finish consisting of epoxy polyester powder coat of approved color & shade with a Dry Film Thickness of minimum 40 microns.

*Centralized Locking:

A Centralized locking arrangement is provided through Locking Stiffener mounted onto back of Single Last unit so that it gets locked on channels when all the units are brought together.

(Signature	of the Tenderer along with seal)
Mobile No.	
Phone No	

CENTRAL BOARD OF SECONDARY EDUCATION

RATES TO BE QUOTED FOR SUPPLY OF THE FOLLOWING ITEMS

S. No.	Item Description (as per tender document) for technical specifications see Annexure-1 of the tender	Qty. Required	Size	Unit Price inclusive of all taxes, levies and delivery FOR at Delhi/New Delhi as per details in Annexure –I and S.No.4 of the T&C.
A.	Compactor of Size H2080 mm, W-915	2	Single faced fixed 915 x 400 x 2080 mm (W X D X H)	
	mm, D-400 mm including rails.	2	Single faced Mobile 915 x 400 x 2080 mm (W X D X H)	
		10	Single faced Mobile 915 x 400 x 2080 mm (W X D X H)	

		400 x 2080 mm (W X D X H)		
Not	e:			
(a)	Earnest money of Rs		dated	in favour of
Secr	retary, CBSE, Delhi.			
	I have gone through the terms a	nd conditions of the tender and are acceptable t	o me.	
Date	ed:		Authorized Signatory	-
			Seal of the Firm	
			Mobile No.	
			Phone No.	

TERMS AND CONDITIONS

- 1. The tenders shall be valid for 90 days from the last date of submission of the tender.
- 2. The sealed envelope should contain the rates quoted by the firm in the Performa as per Annexure 2 shall be superscribed "LIMITED TENDER FOR INSTALLING COMPACTOR".
- 3. Tenderers will have to deposit earnest money with the tender in the form of demand draft of a nationalized bank in favour of Secretary, CBSE which will be returned to the unsuccessful tenderers soon after the order is placed. This amount will be returned to the successful tenderer on acceptance of the material supplied by the tenderer. In case the tenderer fails to complete the supply according to terms of the order, the amount of EMD shall be forfeited.
- 4. NO TENDER WITHOUT EARNEST MONEY DEPOSIT WILL BE ENTERTAINED.

 Prices quoted should include all charges like sales tax, excise duty, octroi, insurance technical service etc with at least one-year on site comprehensive warranty from the date of supply and acceptance of the items at site etc. No other charges/taxes/levies will be paid by the CBSE during pendency of the contract/supply.
- 5. Delivery period should be 20 days from the date of supply of order. Penalty for late delivery would be levied at the rate of 1 percent per week subject to a maximum of 5 percent of the value of the material not supplied within the stipulated period. In case delivery is not completed within the specified delivery period, the Secretary, CBSE is authorized to cancel the order and arrange to procure the said item from any other source at the risk and cost of the tenderer.
- 6. Approved brands are Godrej, Steel Case, Harman Muller and Delite Hi Tech only.
- 7. Secretary, CBSE reserves the right to accept or reject any or all the tender(s) without assigning any reason.
- 8. Sealed tenders, complete in all respects may be placed in the Tender Box kept near the Security Counter at Ground Floor upto 2.30 p.m. or by Speed Post / Registered Post to the Assistant Engineer (Civil) on or before 5/04/2016. Incomplete tenders or those without earnest money will be rejected. Tenders will be opened at 3.00 p.m. on the same day in the presence of the representatives of the tenderers, who may wish to be present. Tender after due date and time will not be accepted.
- 9. Secretary, CBSE reserves the right to revise or alter the requirements and /or specifications of the material before acceptance of any tender and call for revised tenders.
- 10. Ambiguous rates or rates not in conformity with specification at Annexure 1 or conditional &/or without inclusion of all any of taxes/charges as on date shall be rejected.
- 11. T.D.S. & other taxes will be as per rules.

I accept the above terms and Conditions.

(Signature	of the Tenderer along with seal)
Mobile No.	
Phone No.	